
# Signage and Wayfinding Systems

Wayfinding signs are crucial for every kind of building – from commercialcomplexes and hotels to governmental offices, hospitals and more. These signs enable visitors to find their way throughout the building, whether they need reception, the restrooms, or even the elevator banks. Our products are different from the standard signs or the plates in stock, we cancustomize the text, icons, colors, materilas and sizes. Especially for larger custom sign projects, we can provide professional consultation and prompt quotes.





### Types Of Wayfinding Signage

# DIRECTIONAL SIGNS

Interior or Exterior Signage



Our Directional Sign Systems increase wayfinding clarity for customers and reinforce identity and image throughout a facility.

### **DIRECTORY SIGNS**

Interior Signage



Our Sign System creates some of the most functional and visually syunning Directory Signs available.

# CEILING SUSPENDED SIGNS

Interior Signage



Direct foot-traffic smoothly with unobstructed overhang wayfinding signs in commercial spaces.

# PROJECTION MOUNT SIGNS

Interior Signage



Provide facility navigation or room identification with our Projection Mount Signs. These signs really stick out in a crowd.

### **ELEVATOR SIGNAGE**

Interior Signage



Our aesthetically pleasing elevator signage is ideal for discovering floor information.

### WORKSTATION SIGNAGE

Interior Signage



Prominently identify employee names, titles, and workspaces with these versatile interior signage selections.

### **ROOM I.D. SIGNAGE**

Interior Signage



Fabricate premium custom room identification signs with gravotac (tactile) text, pictogram, and brailling.

### STAIRWELL SIGNAGE

Interior Signage



Create residential or commercial staircase signs that comply with industry standards.


### Wayfinding Signage







# School Signage



# **Showcase**

School Signage





# The Mall Signage



# **Showcase**

The Mall Signage





# Office Internal Signage





# **Showcase**

Office Internal Signage





# Hospital Clinics Signage





# **Showcase**

Hospital Clinics Signage





### Braille Sign

### **Text & Icons Material Options:**

- ① 亚克力 Acrylic
- ② 不锈钢 Stainless Steel

# ③ 黄铜 Brass ④ 铝 Aluminum Customized Customized

## 盲文珠的选择: Braille Beads Options:

- ① 不锈钢珠 Stainless Steel Brailles Beads
- ② 铜珠 Brass Brailles Beads
- ③ 透明亚克力珠 Clear Acrylic Brailles Beads
- ④ **白色亚克力珠** White Acrylic Brailles Beads
- ⑤ **黑色亚克力珠** Black Acrylic Brailles Beads

注意: 标牌的颜色不能过于刺眼并且需要形成对比
Note: Signs should have a non-glare finish and well contrasted colors.

### 背板材料选择: Background Panel Material Options:

- ① 不锈钢 Stainless steel
- ② 黄铜 Brass
- ③ 铝 Aluminium
- ④ 双色板 ABS Double Colour

### 表面处理选择: Finish Options:

- ① 喷漆 Paint
- ② 拉丝 Brushed
- ③ 镜面 Mirror
- ④ 阳极氧化 Anodizated

### Braille Signs And Regulations

### 视觉 Visuals


ADA signs can feature logos, company colors and graphics to support your branding or complement your decor.

Signs should have a non-glare finish and well-contrasted colors.





Pictograms can be presented on a 6-inch-high field with no characters or braille sharing that field.



### 字体和文字 Fonts and characters

Resist the urge to use serif fonts - an important part of ADA sign making is the use of compliant fonts and characters.

Characters can be upper or lowercase, but never italic, cursive, decorative or overly













ADA signs must use a sans-serif font.






### 盲文 Braille

Braille is required for any signs that identify a room,

Braille dots should be dome-shaped, not flat



Braille should be located at least 3/8 inch (9.5 mm) below the corresponding text and above any borders or decorative elements.



### 间隔和测量 Spacing and measurements

ADA guidelines dictate a series of spacing and measuring rules to ensure that signs are consistent and clear.

Characters should be placed at least 1/8 inch apart but no more than 4 character strokes apart..

Not enough character spacing Too much character spacing





3/8" Minimum space around any raised element


Character spacing shall be a minimum

Line spacing shall be 35-70% of character height


### 位置 Placement

It's vital that ADA signs are well-placed for optimum visibility and accessibility.

Ceiling or wall projection signs should measure at least 80 inches from the bottom of sign to the floor.



Signs should be placed so that Braille characters are between 48 and 60 inches above the ground, measured from the baseline of the highest tactile character.







# Showcase

Braille Sign



### 浮雕底板 BASE













浮雕边框 BORDER













### 表面处理 FINISH

























雕刻材料 MATERIAL













Aluminium Alloy

Brass

Walnut

Beech

### Case analysis



Bronze oxidized, CNC engraving.



Bronze with antique finish, CNC engraving.



Stainless steel border with marble plaque, screen print, some letters is relief.



Walnut with copper aluminum magnesium alloy, with CNC engraving pattern.



Aluminum-magnesium alloy/brass, CNC engraving/brass pattern/antique finish.



10mm aluminummagnesium alloy with CNC engraving Antique finish.



Solid brass with aged finish, Mounting with double side adhesive tape.



Satin bronze raised areas, bronze background, Matte texture and concealed mounting.

# Embossed Plaques I











# Embossed Plaques I









